

* Notes: Loads from Database or Document based on values

* of m_StorageTypeTask and m_StorageTypeStudent

*

*/

extern "C"

{

long __export WINAPI TuResumeStudent(long StudentID, long TaskID, int fromSubmissionSeqID); // Resumes a Student's work for the Task at the specified Submission

}

extern "C"

{

long __export WINAPI TuLoadArchivedSubmissions(long StudentID, long TaskID, int fromSubmissionSeqID, int toSubmissionSeqID); // Loads Archived Submissions For a Student's work in a Task

}

extern "C"

{

long __export WINAPI TuUseArchivedSubmissions(int n); // Replays n Archived submissions for debugging

}

extern "C"

{

long __export WINAPI TuSaveCurrentStudent(); // Saves Current Student's work to DB

}

extern "C"

{

long __export WINAPI KillEngine(long ITaskID), // Delete all Dynamic objects before shutdown

* Function Return

* Variables: TUT_ERR_OK

*

* Notes:

*/

extern "C"

{

long __export WINAPI TuSetTaskDocPathName(LPCSTR frm);

}

/*

* Name: TuSetFeedbackFileName
 * Purpose: To set path and name of file to use for holding feedback
 * Input
 * Parameters: LPCSTR fnm
 * Path and name of file to use for holding feedback
 * Output
 * Parameters: none
 *

* Function Return
 * Variables: TUT_ERR_OK
 *

* Notes:

*/
 extern "C"
 {
 long __export WINAPI TuSetFeedbackFileName(LPCSTR fnm);
 }

/*

* Name: TuSetFeedbackPrevFileName
 * Purpose: To set path and name of file to use for holding previous feedback
 * Input
 * Parameters: LPCSTR fnm
 * Path and name of file to use for holding previous feedback
 * Output
 * Parameters: none
 *

* Function Return
 * Variables: TUT_ERR_OK
 * Notes:

*/
 extern "C"
 {
 long __export WINAPI TuSetFeedbackPrevFileName(LPCSTR fnm);
 }
 /*

* Name: TuSetLogFileName
 * Purpose: To set path and name of file to use for full logging
 * Input
 * Parameters: LPCSTR frm
 * Path and name of file to use for full logging
 * Output
 * Parameters: none
 *

* Function Return
 * Variables: TUT_ERR_OK
 * Notes:

*/
 extern "C"
 {
 long __export WINAPI TuSetLogFileName(LPCSTR frm);
 }
 /*

* Name: TuSetLogLoadFileName
 * Purpose: To set path and name of file to use for load logging
 * Input
 * Parameters: LPCSTR frm
 * Path and name of file to use for load logging
 * Output
 * Parameters: none
 *

* Function Return
 * Variables: TUT_ERR_OK
 *
 * Notes:

*/
 extern "C"
 {
 long __export WINAPI TuSetLogLoadFileName(LPCSTR frm);
 }
 /*